

PROJECT: HULA/18164 GROUP: NEW Permit Site Photometr AREA: 44 West Walk GRID: Ground  
 PREPARED BY:  
 VALUES ARE FC, SCALE: 1 IN= 10.0FT, HORZ GRID (U), HORZ CALC, Z= 0.0

Computed in accordance with IES recommendations

Statistics

GROUP	MIN	MAX	AVE	AVE/MIN	MAX/MIN
(+)	0.19	11.07	2.48	13.36	59.71

Luminaires Used

TYPE	QTY	TEST#	DESCRIPTION
C	1	LC6SL_6L	PRESCOLITE, LC6SL 6LCSL10L35K8, 6" LED Downlight, 3500K, 3 SDC, LAMPS: ( 1) NFSL757GT-V1, 1071 LUMENS, BLST: LED25W-36-C0700, LLF = 0.90 @11.00
H2	2	303-B1-L	EATON - LUMIERE, 303-B1-LEDB1-4000-UNV-T2-DIM10-BK, LUMIERE EON 303-B1, SINGLE HEA, TEST IS SCALED FROM IESNA LM-7 LAMPS: ( 7) , 677 LUMENS, BLST: , LLF = 0.90 @3.50
H4	7	303-B1-L	EATON - LUMIERE, 303-B1-LEDB1-4000-UNV-T4-DIM10-BK, LUMIERE EON 303-B1, SINGLE HEA, TEST IS SCALED FROM IESNA LM-7 LAMPS: ( 7) , 646 LUMENS, BLST: , LLF = 0.90 @3.50

