

PROJECT: HULA/18164 GROUP: NEW Permit Site Photometr AREA: 50 South Walk GRID: Ground  
PREPARED BY:  
VALUES ARE FC, SCALE: 1 IN= 4.0FT, HORZ GRID (U), HORZ CALC, Z=0.0

Computed in accordance with IES recommendations  
Statistics

GROUP	MIN	MAX	AVE	AVE/MIN	MAX/MIN
(*)	0.31	11.23	2.69	8.73	36.39

Luminaires Used

TYPE	QTY/TEST#	DESCRIPTION
C	3 LC6SL_6L	PRESCOLITE, LC6SL 6LCSLI0L35K8, 6" LED Downlight, 3500K, 3 SDC, LAMPS: ( 1 ) NFSL757GT-V1, 1071 LUMENS, BLST: LED25W-36-C0700, LLF = 0.90 @ 11.00
F3	1 ALED3T50	RAB LIGHTING IN, ALED3T50N - RWLED3T50N - RWLED3T50SFN - WPLED3T50N, CAST FINNED METAL HOUSING, 6 C, LED, MOLDED PLASTIC REFLECTOR LAMPS: ( 6 ) - 6522 LUMENS, BLST: LLF = 0.90 @ 20.00
F4	1 ALED4T50	RAB LIGHTING IN, ALED4T50N - RWLED4T50N - RWLED4T50SFN - WPLED4T50N, CAST FINNED METAL HOUSING, 6 C, LED, MOLDED 2-PIECE PLASTIC RE LAMPS: ( 6 ) - 10504 LUMENS, BLST: LLF = 0.90 @ 20.00
G	2 ra02318	RAB LIGHTING IN, WPLED10N (WALLPACK) - ALED10N (AREA LIGHTER) - BLE, CAST METAL HOUSING, ONE CIRCU, REFLECTOR WITH SEMI-DIFFUSE FI LAMPS: ( 1 ) - 1252 LUMENS, BLST: LLF = 0.90 @ 11.00
H4	1 303-B-L	EATON - LUMIERE, 303-B1-LED01-4000-UNV-74-DM10-BK, LUMIERE EON 303-B1, SINGLE HEA, TEST IS SCALED FROM IESNA LM-7 LAMPS: ( 7 ) - 646 LUMENS, BLST: LLF = 0.90 @ 3.50

